

■ Content

Content	1
1.Introduction	2
2.System Requirements	2
3.Specifications/Features	3
4.Installation	4
5.Removal	7
6.Driver Installation	9
Windows ME/2000/XP/VISTA	9
Windows 98SE	9
Mac OS 9.0 or later	10
Mac OS 8.6	10
7. Warranty	11

3-1. When the eject button is upright, the NexStar Hard Drive Dock is ready for use.



6.Driver Installation

Windows ME/2000/XP/VISTA

No drivers are necessary when using Windows ME/2000/XP/VISTA. If the hard drive does not appear under My Computer, be sure to partition your hard drive.

Windows 98SE

1. The first time you plug in the NexStar Hard Drive Dock into a USB port of your computer, the [Add New Hardware Wizard] dialog box will appear.
2. Click on [Next]. Check the [Search for the best driver for your device] and click on [Next] again.
3. Insert the device driver CD into your CD-ROM drive if you have not already done so and click on [Next], a screen should appear to show which Storage Device you installed. Click on [Next].
4. After the needed files are copied into your system, click on [Finish].
5. You should now be able to see the new hard drive under My Computer. A green Unplug or Eject hardware icon will appear in the system tray as well. If the drive does not appear, you may need to partition your hard drive first.

Mac OS 9.0 or later

No drivers are necessary when using Mac OS 9.0 above. If the hard drive does not appear on the desktop, be sure to partition your hard drive.

Mac OS 8.6

1. Unplug the NexStar Hard Drive Dock if you currently have it connected.
2. USB Mass Storage Support 1.3.5 must be installed on your system. If it is not, you can download the USB Mass Storage Support 1.3.5 from the Apple Software Updates website: <http://www.apple.com/support>.
3. Follow the direction associated with the USB Mass Storage Support driver to install.
4. Repeat the steps listed under "Connecting the NexStar Hard Drive Dock to your computer".

7. Warranty

The NexStar Hard Drive Dock comes with a 1 year limited warranty (90 day parts). If your unit become defective within that time frame, please go to **<http://www.vantecusa.com>** for information on how to receive warranty exchange or repair. Cosmetic defects and missing parts are not covered under this warranty. Please check the contents of the unit to make sure you received all parts. Also, check for any cosmetic flaws. If any parts are missing or if there are cosmetic defects, Please contact the retailer from which you purchased the unit immediately and ask for a replacement.

Vantec Thermal Technologies
43951 Boscell Rd. Fremont, CA 94538
tel: 510-668-0368 fax: 510-668-0367
website: www.vantecusa.com