

USB to Serial Adapter



Step 1: Driver Installation

The installation steps below apply to Windows 98SE, ME,2000 and XP. Please complete the driver installation first before you connect the adapter.

- 1. Insert the provided CD into your CD-ROM drive. Run the **Setup** file under **x:\Driver** where x: is your CD-ROM drive letter. When the welocme screen appears, click **Next**.
- 2. Click **Finish** to complete the installation.

Step 2: Connect the Adapter

Connect the adapter to a free USB port on your computer.

Step 3: Verify the Driver Installation

To verify your adapter installation, select Control Panel > System > (Hardware) > Device Manager. Under the Port (COM & LPT) group, a string similar to "USB to Serial Port" or "USB-to-Serial CommPort" should be displayed.

Installation Completed

Now you can connect your RS-232 device to the adapter.

This **Quick Installation Guide** describes only the basic instruction on installation. For more information, please refer to the **User's Manual** on the provided CD-ROM

USB to Serial Adapter Model #: CB-USB20SR

www.vantecusa.com

All Registered Trademarks Belong To Their Respective Companies. Copyright © 2007 Vantec Thermal Technologies. All Rights Reserved.

Federal Communications Commission Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
Consult the dealer or an experienced radio/ TV technician for help.

FCC Radiation Exposure Statement

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.